



OCTOPUS IP67/IP54 Industrial Ethernet Switches






The OCTOPUS family of switches meets all relevant industry standards and provide the most robust switches in the market. With Power over Ethernet, Professional firmware standard on most models and Gigabit connectivity for where a higher bandwidth connection is required.

All products in the OCTOPUS family can be mounted on the wall or directly on the machine. The IP67 variants offer 8/16/24 Twisted Pair ports (each with up to 8 PoE ports), using standardized 4-pin M12 D-code technology. As the switches are freely cascadable, it is simple to build decentralized structured networks with the shortest possible patch cables to the end devices. The OS20 and OS30 switches utilize IP67 fiber connections per the IEC 61076-3-106 standard – variant 1 is approved by ODVA for use with EtherNet/IP, variant 4 is approved for use with PROFINET.

Standard features include: totally enclosed IP67 design, standardized 4-pin M12 D-code IP67 Ethernet connector, OCTOPUS M is the industry's first managed IP67 switch, management via SNMP v1, v2, v3, web GUI or Telnet, redundancy via HIPER-Ring, MRP and Rapid Spanning Tree, redundant power supply for high availability, operating temperatures as low as -40°C to +70°C, and external signaling of alarms via signal contact or network messaging.









OCTOPUS Fast Ethernet Unmanaged Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS 5TX EEC	943 892-001	5 x 10/100 Mbit/s M12-coding, Unmanaged
	OCTOPUS OS20-001000T5TAFUHB	942 025-001	10 x 10/100 BASE-TX, M12 D coding, 4-pole
	OCTOPUS OS20-001000T5TNEUHB	942 025-004	10 x 10/100 BASE-TX, M12 D coding, 4-pole (110 V version)

OCTOPUS PoE Fast Ethernet Unmanaged Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS OS24-081000T5T5TFFUHB	942 025-003	8 x 10/100 Base-TX PoE (Phantom Power) and 2 x 10/100 Base-TX (24 V version)
	OCTOPUS OS24-081000T5T5TNEUHB	942 025-004	8 x 10/100 Base-TX PoE (Phantom Power) and 2 x 10/100 Base-TX (110 V version)





OCTOPUS IP67/IP54 Industrial Ethernet Switches

OCTOPUS Fast Ethernet Managed Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS 8M	943 931-001	8 x 10/100 BASE-TX, M12 D-coding, 4-pole
	OCTOPUS 8M-Train	943 983-001	8 x 10/100 BASE-TX, M12 D-coding, 4-pole (EN 50155)
	OCTOPUS 8M-Train-BP	942 091-001	8 x 10/100 BASE-TX, M12 D-coding, 4-pole (EN 50155), Bypass-Relais
	OCTOPUS OS20-000900T5T5TAFBHH	942 025-005	9 x 10/100 BASE-TX, M12 D-coding, 4-pole
	OCTOPUS OS20-000900T5T5TNEBHH	942 025-006	9 x 10/100 BASE-TX, M12 D-coding, 4-pole (110 V version)
	OCTOPUS OS20-0010001M1MTREPHH	943 988-001	8 x 10/100 BASE-TX, M12 D coding, 4-pole, 2 x 100 BASE FX Multimode Ports IAW IEC 63076-3-106, Version 1
	OCTOPUS OS20-0010004M4MTREPHH	943 988-003	8 x 10/100 BASE-TX, M12 D coding, 4-pole, 2 x 100 BASE FX Multimode Ports IAW IEC 63076-3-106, Version 4
	OCTOPUS OS20-0010001S1STREPHH	943 988-002	8 x 10/100 BASE-TX, M12 D coding, 4-pole, 2 x 100 BASE FX Singlemode Ports IAW IEC 63076-3-106, Version 1
	OCTOPUS OS20-0010004S4STREPHH	943 988-004	8 x 10/100 BASE-TX, M12 D coding, 4-pole, 2 x 100 BASE FX Singlemode Ports IAW IEC 63076-3-106, Version 4
	OCTOPUS 16M	943 912-001	16 x 10/100 BASE-TX, M12 D-coding, 4-pole
	OCTOPUS 16M-Train	943 984-001	16 x 10/100 BASE-TX, M12 D-coding, 4-pole (EN 50155)
	OCTOPUS 16M-Train-BP	942 092-001	16 x 10/100 BASE-TX, M12 D-coding, 4-pole (EN 50155), Bypass-Relais
	OCTOPUS 24M	943 923-001	24 x 10/100 BASE-TX, M12 D coding, 4-pole
	OCTOPUS 24M-Train	943 985-001	24 x 10/100 BASE-TX, M12 D coding, 4-pole (EN 50155)
	OCTOPUS 24M-Train-BP	942 093-001	24 x 10/100 BASE-TX, M12 D-coding, 4-pole (EN 50155), Bypass-Relais



OCTOPUS PoE Fast Ethernet Managed Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS 8M-6PoE	943 967-101	6 x 10/100 BASE-TX PoE (phantom power) and 2 x 10/100 BASE-TX, M12 D coding, 4-pole
	OCTOPUS 8M-8PoE	943 967-001	8 x 10/100 BASE-TX PoE (phantom power), M12 D coding, 4-pole



OCTOPUS IP67/IP54 Industrial Ethernet Switches

OCTOPUS PoE Fast Ethernet Managed Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS OS24-080900T5T5TFFBHH	942 025-007	8 x 10/100 Base-TX PoE-Plus (Phantom Power) and 1 x 10/100 Base-TX (24 V version)
	OCTOPUS OS24-080900T5T5TNEBHH	942 025-008	8 x 10/100 Base-TX PoE-Plus (Phantom Power) and 1 x 10/100 Base-TX (110 V version)
	OCTOPUS 16M-8PoE	943 960-001	8 x 10/100 BASE-TX PoE (phantom power) and 8 x 10/100 BASE-TX, M12 D coding, 4-pole
	OCTOPUS 24M-8 PoE	942 063-001	8 x 10/100 BASE-TX PoE (phantom power) and 16 x 10/100 BASE-TX, M12 D-coding, 4 pole

OCTOPUS Gigabit Ethernet Managed Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS OS30-0008021A1ATREPHH	943 988-005	8 x 10/100 BASE-TX, 2 x Gigabit Multimode Ports IAW IEC 63076-3-106, Version 1
	OCTOPUS OS30-0008024A4ATREPHH	943 988-007	8 x 10/100 BASE-TX, 2 x Gigabit Multimode Ports IAW IEC 63076-3-106, Version 4
	OCTOPUS OS30-0008021B1BTREPHH	943 988-006	8 x 10/100 BASE-TX, 2 x Gigabit Singlemode Ports IAW IEC 63076-3-106, Version 1
	OCTOPUS OS30-0008024B4BTREPHH	943 988-008	8 x 10/100 BASE-TX, 2 x Gigabit Singlemode Ports IAW IEC 63076-3-106, Version 4

OCTOPUS PoE Gigabit Ethernet Managed Waterproof IP67/IP54 Switches			
Product	Part No.	Order No.	Ports/Features
	OCTOPUS OS32-080802T6T6TPEPHH	942 069-002	8 x 10/100 BASE-TX PoE (phantom power) and 2 x 1000 BASE-TX
	OCTOPUS OS32-081602T6T6TPEPHH	942 069-001	8 x 10/100 BASE-TX PoE (phantom power) and 8 x 10/100 BASE-TX, 2 x 1000 BASE-TX
	OCTOPUS OS32-0808020606TPEPHH	942 069-004	8 x 10/100 BASE-TX PoE (phantom power) and 2 x SFP- sockets for 10/100 BASE-FX and 1000, BASE-X housing IEC 63076-3106 v1
	OCTOPUS OS32-0816020606TPEPHH	942 069-003	8 x 10/100 BASE-TX PoE (phantom power) and 8 x 10/100 BASE-TX and 2 x SFP- sockets for 10/100 BASE-FX and 1000 BASE-X housing IEC 63076-3106 v1