





TCPWT



	(Kg)	B		AL	
		mm	inch	REF.	kg/ud
TCPWT 100	150	100	4	2/10197	0,53
TCPWT 200	150	200	8	2/10198	1,18
TCPWT 300	150	300	12	2/10199	2,06
TCPWT 400	150	400	16	2/10200	3,22
TCPWT 500	150	500	20	2/10201	4,58
TCPWT 600	150	600	24	2/10202	6,18

B=100,200,300 3/100 x DIN 7991 M6x16 (2/10265 - EZ)

B=400,500,600 5/100 x DIN 7991 M6x16 (2/10265 - EZ)




TSCPWT



	(Kg)	B		GS	
		mm	inch	REF.	kg/ud
TSCPWT 100	100	4	2/10203	0,70	
TSCPWT 200	200	8	2/10204	1,54	
TSCPWT 300	300	12	2/10205	2,70	
TSCPWT 400	400	16	2/10206	4,17	
TSCPWT 500	500	20	2/10207	5,96	
TSCPWT 600	600	24	2/10208	8,06	

B=100,200,300 3/100 x DIN 7991 M6x16 (2/10265 - EZ)

B=400,500,600 5/100 x DIN 7991 M6x16 (2/10265 - EZ)




CPWT45




	(Kg)	B		H		GS	
		mm	inch	mm	inch	REF.	kg/ud
CPWT45 100X100	150	100	4	100	4	2/10158	0,95
CPWT45 200X100	150	200	8	100	4	2/10159	1,39
CPWT45 300X100	150	300	12	100	4	2/10160	1,95
CPWT45 400X100	150	400	16	100	4	2/10161	2,63
CPWT45 500X100	150	500	20	100	4	2/10162	3,67
CPWT45 600X100	150	600	24	100	4	2/10164	4,89

4/100 x B1 (2/4356 - EZ)

1 x CPWT45 --> 1 x SV (B)



TCPWT45



	(Kg)	B		AL	
		mm	inch	REF.	kg/ud
TCPWT45 100	150	100	4	2/10209	0,20
TCPWT45 200	150	200	8	2/10210	0,45
TCPWT45 300	150	300	12	2/10211	0,80
TCPWT45 400	150	400	16	2/10212	1,24
TCPWT45 500	150	500	20	2/10213	1,90
TCPWT45 600	150	600	24	2/10214	2,71

3/100 x DIN 7991 M6x16 (2/10265 - EZ)

