

ENSTO

NK3CP.B

Blanking cap

Code	NK3CP.B
GTIN	6418677117206
ENumber	
Name	Blanking cap EnstoNet Black
Description	When installation couplers or other EnstoNet products are used in easily accessible areas, the unconnected socket must be covered with a separate blanking cap. NK 3CP.B blanking cap is suitable for use with 3-pole sockets in a panel mounting adapter. Weight 11,3 g.
Vendor	Ensto Finland Oy ® ENEC

Technical specification

Dimensions

Weight:	11.3 g
Dimensions l x w x h:	8x47x16

Temperatures

Max. operating temperature:	+70 °C
Min. installation temperature:	+5 °C
Min. operating temperature:	-30 °C (without mechanical stress)

Materials

Material:	Polyamide 66
-----------	--------------

Colors

Color:	Black
--------	-------

Ratings

Flammability rating:	UL 94 V-2
ETIM 7:	EC002863 Accessories for plug-in building installation

ETIM

ETIM

Type of accessory: Other

Packaging

Default package

Unit: PCS
Size: 1000
Length: 220 mm
Width: 220 mm
Height: 125 mm
Weight (net): 12 kg
Weight (brt): 12.136 kg
Volume: 6.05

Pallet package

Unit: PCS
Size: 25000
Length: 1200 mm
Width: 800 mm
Height: 1150 mm
Weight (brt): 1481.3 kg

