

ENSTO

Cabinet wall installation PC

UPCG121006HNL



| | |
|-------------|--|
| Code | UPCG121006HNL |
| GTIN | 6438100212513 |
| Name | Cabinet wall installation PC Ensto PolyBox Size 12.0 x 10.0 x 6.0 in, Polycarbonate Wall mount Enclosure, Hinged Nonmetal Snap Latch, Opaque Cover |
| Description | Ensto PolyBox is a product family specifically designed for the US market. Robust and tightly sealed, our new JIC sized enclosures are made from top quality polycarbonate. A wide range of configurations can be customized with multiple features. |
| Vendor | Ensto Building Systems Finland Oy |

Technical specification

Certificates

Standards: UL 508A

Colors

Color: Grey

Color code: RAL7035

Dimensions

| | |
|--------------|-------------------------|
| Volume : | 0.01858 cm ³ |
| Inner depth: | 156 mm |
| Length: | 185 mm |
| Size: | 326 x 308 x 185 mm |
| Width: | 308 mm |
| Height: | 326 mm |
| Weight: | 2.242 kg |

Material

Material: Polycarbonate

Gasket: Polyurethane

Mechanical

Impact strength: IK10 +40C° / -35C°

Ratings

Rated voltage: 1000 ... 1500 V

Flammability rating: UL 746C 5 inch flame test

Degree of protection: IP69

Temperatures

Operating temperature: -40 ... 80 °C

Short term temperature range: -40 ... 120 °C

US specific

Environmental type: 4X, 12, 13, 6P

Width inch: 12.11 in

Depth inch: 7.27 in

Height inch: 12.82 in

Operating temperature °F: -40 ... 176 °F

Short term temperature range °F: -40 ... 248 °F

Weight pound: 4.94 lb

Inner depth inch: 6.13 in

Size inch: 12.82 x 12.11 x 7.27 in

Others

ETIM Class: EC000261

ETIM Technical specification

etim

Height: 326 mm

Depth: 185 mm

Material: Plastic

Material quality: Other

Surface finishing: Untreated

Colour: Grey

RAL-number: 7035

With mounting plate: No

Mounting plate depth-adjustable: Yes

Wall build in: No

Pole fastening: Yes

Number of doors: 1

Suitable for metrical mounting: No

Suitable for outdoor set-up: Yes

Pitched roof: No

EMC-version: No

| | |
|------------------------------|------|
| With glazed door: | No |
| With ventilation door: | No |
| With backside door: | No |
| Impact strength: | IK10 |
| Degree of protection (NEMA): | 6P |

Packaging

Pallet package

| | |
|---------------|---------|
| Unit: | PCE |
| Package size: | 30 |
| Depth: | 1200 mm |
| Width: | 800 mm |
| Height: | 1140 mm |

Default package

| | |
|---------------|-------------|
| Unit: | PCE |
| Package size: | 1 |
| Depth: | 332 mm |
| Width: | 332 mm |
| Height: | 198 mm |
| Weight: | 2.493 kg |
| Volume: | 21.824352 l |